



Grinnell



G-FIRE Grooved

Products Brochure

APAC REGION

G-FIRE Grooved Products

Designed for use in fire protection systems, GRINNELL G-FIRE Piping Products offer a cost-effective pipe-joining solution by eliminating the need for a threaded, welded, or flanged system, and reducing labor hours.

Couplings



Figure 577
Rigid Coupling
Sizes: 25mm - 300mm



Figure 705
Flexible Coupling
Sizes: 25mm - 300mm



Figure 707
Heavy Duty Flexible Coupling
Sizes: 25mm - 300mm



Figure 716
Flexible Reducing Coupling
Sizes: 50 x 40mm - 200 x 150mm

Fittings

Standard Patterns



Figure 501
40° Elbow
Sizes: 32mm - 200mm



Figure 510
Standard Pattern 90° Elbow
Sizes: 32mm - 200mm



Figure 519
Tee
Sizes: 25mm - 300mm



Figure 260/560
Endcap
Sizes: 32mm - 300mm



Figure 221/321
Reducing Tee
Sizes: 40 x 40 x 32mm - 300 x 300 x 250mm



Figure 250/350
Concentric Reducer
Sizes: 32 x 25mm - 300 x 250mm

Fittings

Short Patterns



Figure 510s
Short Pattern 90° Elbow
Sizes: 50mm - 200mm



Figure 519s
Short Pattern Equal Tee
Sizes: 50mm - 200mm

Flanges*

*Model 71 Flanges are available to various global Flange Standards. Contact GRINNELL Products for details.




Figure 71
Grooved Flange Adaptor
Sizes: 50mm - 300mm



Quality Flexibility Performance

G-FIRE Products save you time and money by making field modifications easy, as couplings and fittings can be rotated, added, changed or eliminated as necessary. With more than 160 years of experience, GRINNELL Products is committed to developing dependable and quality grooved piping solutions and products to fit your needs.

All technical data sheets can be found on www.grinnell.com

Valves


Model TMR and TMP Gate valves are available to various global Flange Standards. Contact GRINNELL Products for details.



Gate Valve Model TMR OS&Y
Grooved/Flanged
Sizes: 50mm - 300mm



Gate Valve Model TMP-Non Rising Stem
Grooved/Flanged Sizes: 100mm - 300mm



Post Indicators
Various lengths available to suit Model TMP Valves 100mm - 300mm



Model BFV-N
Grooved Sizes: 65mm - 250mm
Wafer & Lug Sizes: 50mm - 300mm



Model CV-1
Grooved Check Valve
Sizes: 50mm - 300mm



Model CV-1FR
Riser Check Valve
Sizes: 50mm - 300mm

Preparation Equipment**

** For all other tool options, sizes and electrical requirements, contact GRINNELL Products for details.



TWG-IVA
TWG Roll Groover with Pipestand
110 - 415V 50 - 60Hz (Three Phase Motor)
Sizes: 200mm - 600mm



TWG-IVZ
TWG Automatic Groover with Pipestand
110 - 415V 50 - 60Hz (Three Phase Monitor)
Sizes: 200mm - 600mm



TWG-VIIA
TWG Roll Groover with Pipestand
110 - 240V 50 - 60Hz
Sizes: 25mm - 300mm

Outlets




Figure 522
Sprinkler Outlet
Sizes: 25 x 15mm - 65 x 15mm



Figure 702
Outlet Coupling
Sizes: 50 x 15mm - 150 x 40mm



Figure 730
Threaded Outlet: 50 x 15mm - 200 x 80mm
Grooved Outlet: 50 x 32mm - 200 x 100mm



Global Strength. Local Expertise.

At your service.

APAC Regional Offices

SINGAPORE

2 Serangoon North Avenue 5,
#07-01, Singapore 554911
Tel: +65 6577 4360
Fax: +65 6481 8791
E-mail: info.apac@tycofp.com

AUSTRALIA

Level 3, 95 Coventry Street
Southbank, VIC 3006
Australia
Tel: 1300 725 688 (within Australia)
Fax: 1300 720 733 (within Australia)
Tel: +61 3 9313 9700
Fax: +61 3 9313 9709
E-mail: info.aust@tycofp.com

CHINA

2F, Building No.1, Lane 955
Jinhai Road, Pudong
Shanghai 201206
Tel: +86 21 6163 3373
Fax: +86 21 6163 3371
E-mail: info.china@tycofp.com

HONG KONG

Units 905-923, 9/F, Trade Square,
681 Cheung Sha Wan Road,
Cheung Sha Wan, Kowloon, Hong Kong
Tel: +852 2753 3524
Fax: +852 2505 5826
E-mail: info.china@tycofp.com

INDIA

1001, Wing 'C', 10th Floor,
Godrej Coliseum, Sion
Mumbai 400022, India
Tel: +91 22 6628 6628
Fax: +91 22 6628 6650
E-mail: info.india@tycofp.com

GF-APACGFIR-201309_EN
Copyright © 2013 Tyco Fire Products LP. All rights reserved.
GRINNELL is a mark and/or registered trademark of the Tyco International Ltd.